




TECHNICAL DESCRIPTION ROCKWHEEL G5

The Rockwheel G5 Hydraulic Cutting Unit can be supplied with either Scaling/Grinding Cutting Drums or Rock Cutting Drums.

| | | |
|--------------------------|--------------------|----------------------------|
| Maximum Input Power | 22 kW | 29.5 hp |
| Maximum Flow | 65.01 lpm | 14.3 UK gpm |
| Recommended Flow | 40.0 lpm | 8.8 UK gpm |
| Maximum Pressure | 400 bar | 5,801 psi |
| Output Shaft Torque | 3,750 Nm @ 320 bar | 2,750 lbf ft @ 4,641 psi |
| Pick Force | 21.8 kN @ 330 bar | 4,900 lbf @ 4,641 psi |
| Output Shaft Speed | 50.0 rpm @ 40 lpm | 50.0 rpm @ 8.8 UK gpm |
| Pick Speed | 0.9 m/s @ 40 lpm | 2.95 ft/s @ 8.8 UK gpm 939 |
| Unit Weight | 181 kg | 398.2 lbs |
| Excavator Range | 2.5 – 6.0 tonne | 2.5 – 6.0 tonne |
| No of Picks (Rock Drums) | 32 (19.4 mm Shank) | 32 (0.76" Shank) |



TECHNICAL DESCRIPTION ROCKWHEEL G5

To simplify installation the Rockwheel G5 mounting flange is designed to suit existing hydraulic breakers.

